



Kay Park Concrete Foosball

- Regulation Size Table 54 1/2" x 36" x 36"H
- Standard Finish is Natural Gray with Light Sandblast Frame
- Heavy Duty Reinforced Concrete
- Table Side Thickness 3"
- UHPC Ultra High Performance Concrete field, green and charcoal
- 316 Stainless Steel Rods
- Stenciled Playing Lines
- Center Ball Drop Holes
- Easy Access Ball Drop
- Optional Stainless Steel Scorekeepers
- Stainless Steel Table Levelers
- Optional Anchor Inserts, Stainless Steel Sold Separate
- Tamper Resistant Stainless Steel Assembly Screws
- Heavy Duty 4" High Steel I-Beam Supports
- Standard Foosball Players, Red and Blue

KPFBT 54 1/2" x 36" x 36"H Gray 1,225 Lbs

Concrete Handicap Bollard

A great way to mark handicap parking without having to paint and also offer some protection for your area as well. (you can modify this)

- Choose color and aggregate texture
- Choose mounting option

CBH Handicap Bollard 16" W x 48"H x 12"D 150 Lbs



Concrete Wrap Bench

Add stylized and sturdy seating to your area with this unique concrete wrap bench.

- Choose color and texture.
- One piece solid concrete

CPBWRAP Concrete Bench 76" L x 22"H x 44"W 2,500 Lbs



Concrete Colors and finish:

| | Smooth | Light Sand Blast | Perma Stone | Dura Brite |
|-------------|--------|------------------|-------------|------------|
| Dove Gray | | | | |
| Terra Cotta | | | | |
| Light Brown | | | | |
| Sand Tan | | | | |

Select Color:
Dove Gray, Terra Cotta,
Light Brown, or Sand Tan

Select Texture:
Smooth, Light Sand Blast,
Perma Stone, or Durabrite

Square Concrete Planter

- Includes 4 – 1" drain holes
- Tapered look
- 2 3/4" thick concrete walls

CPAS2828 Square Planter 28" L x 24"H x 28"W 600 Lbs



Shown Custom Black Stain

Concrete Ball Bollards

Concrete ball bollards are available in different sport balls for schools and sport facilities.

| | | | |
|----------------|------------|---------------|-----------|
| CBBB36 | Baseball | 36" W x 36" H | 2,000 Lbs |
| CBSB36 | Softball | 36" W x 36" H | 2,000 Lbs |
| CBFB21 | Football | 21" W x 42" H | 700 Lbs |
| CBKT18 | Basketball | 36" W x 36" H | 2,000 Lbs |
| CBSCR36 | Soccerball | 36" W x 36" H | 2,000 Lbs |
| CBGB36 | Golfball | 36" W x 36" H | 1,700 Lbs |



Football Bollard Golf Bollard Soccerball Bollard Basketball Bollard



Baseball Bollard



Softball Bollard

Concrete Sphere Bollard

Sphere bollard comes in two sizes with a square base, very aesthetic.

| | | |
|----------------|---------------------|-----------|
| CBSPH39 | 39"W x 39" L x 42"H | 3,950 Lbs |
| CBSPH52 | 52"W x 52" L x 51"H | 6,560 Lbs |

Concrete Colors and finish:

| | Smooth | Light Sand Blast | Perma Stone | Dura Brite |
|-------------|--------|------------------|-------------|------------|
| Dove Gray | | | | |
| Terra Cotta | | | | |
| Light Brown | | | | |
| Sand Tan | | | | |

Select Color:
Dove Gray, Terra Cotta,
Light Brown, or Sand Tan

Select Texture:
Smooth, Light Sand Blast,
Perma Stone, or Durabrite



Mounting Options:

Option A:
Bollard is precast with hollow core. Dimensions of this core are predetermined by the contractor, and need to be specified when placing the order. Existing pad, slab or sidewalk is cast with exposed vertical tubing or pipe to fit inside the core of the bollard. Before bollard is set on exposed tube. On the existing pad, epoxy, caulk, or other bonding agent is applied to core and/or vertical pipe for securing purposes. The bollard is then set in place.

Option B:
Bollard is precast with pipe or tube protruding from bottom of bollard. Dimensions of protruding pipe or tube are pre-determined by the contractor, and need to be specified when placing order. Existing pad, slab, or sidewalk is cast with sleeve correlating to protruding pipe on the bottom of the bollard. Before bollard is set, epoxy, caulk, or other bonding agent is applied to either the tube or the pipe, and/or applied to the sleeves in the existing pad. The bollard is then set in place.

Option C:
Bollard is precast with apre-determined number and pattern of inserts into the bottom of the bollard. Size and pattern of inserts are determined by the contractor and need to be specified when placing the order. The existing pad, slab or sidewalk is cast with sleeves correlating to the inserts in the bottom of the bollard. Threaded rod (included with purchase of bollard) are then screwed into the inserts in the bottom of the bollard. Epoxy, caulk, or bonding agent is applied to the rod and/or into the sleeves in the existing pad. and the bollard is set into place..



CTCR30MD

Has a brown plastic dome lid with self-closing door. Shown as Sand Tan Durabrite.

| | |
|-------------------------------|-----|
| | Lbs |
| CTCR30MD 24" dia x 43" | 420 |
| CTCR30PL 30 Gal. liner | 12 |



CTCS22PB & CTCS40PB

Holds a liner up to 22 gal. At 40" h (to top of dome) x 20 1/2" square & has a rigid plastic bonnet top with a self-closing door. Shown in Sand Tan Durabrite. Larger, 40 gallon size model also available.

| | |
|------------------------------|-----|
| | Lbs |
| CTCS22PB 22 Gal. unit | 400 |
| CTC20PL 20 Gal. liner | 11 |
| CTCS40PB 40 Gal. unit | 740 |
| CTC36PL 36 Gal. liner | 13 |



CTCR30PH

Has a dark brown rigid plastic hood top open on two sides. Shown in Sand Tan Durabrite.

| | |
|-----------------------------------|-----|
| | Lbs |
| CTCR30PH 26 1/4" dia x 44" | 700 |
| CTCR30PL 30 Gal. liner | 12 |



CTCR30AR

Has a concave pitch in top. Shown in Light Brown Permastone.

| | |
|-------------------------------|-----|
| | Lbs |
| CTCR30AR 24" dia x 33" | 640 |
| CTCR30PL 30 Gal. liner | 11 |



CTCR22FP/30FP

Two pieces fit together with brown fiberglass pitch in top.

| | |
|-------------------------------|-----|
| | Lbs |
| CTCR22FP 21" dia x 33" | 300 |
| CTCR20PL 20 Gal. liner | 11 |
| CTCR30FP 31" dia x 33" | 870 |
| CTCR30PL 30 Gal. liner | 12 |



CTCR30AP

Has a convex spun aluminum pitch in top. Shown here in Sand Tan Permastone.


| | |
|-------------------------------|-----|
| | Lbs |
| CTCR30AP 24" dia x 33" | 420 |
| CTCR30PL 30 Gal. liner | 12 |

Concrete Options:

Concrete colors and aggregate textures.

| | Smooth | Light Sand Blast | Perma Stone | Dura Brite |
|-------------|--------|------------------|-------------|------------|
| Dove Gray | | | | |
| Terra Cotta | | | | |
| Light Brown | | | | |
| Sand Tan | | | | |

Select Texture: Smooth, Light Sand Blast, Permastone or Durabrite
Select Color: Dove Gray, Terra Cotta, Light Brown or Sand Tan



Popular Square

Features a brown pitch in top and is available in 2 sizes: 22 gal unit is 36" high x 22" square, 30 gal. unit is 30" high x 26" wide x 29" long. Shown in Sand Tan Permastone. (22 gal top is plastic, 30 gal top is fiberglass.)

| | |
|------------------------------|-----|
| | Lbs |
| CTCS22FP 22 Gal. unit | 620 |
| CTC20PL 20 Gal. liner | 11 |
| CTCS30FP 30 Gal. unit | 870 |
| CTC30PL 30 Gal. liner | 12 |

Round Concrete Table

A modern design with four surrounding seats offers great aesthetics and practicality for patios, food service, etc. It's heavily reinforced concrete construction is very durable. Comes with smooth top and seat surfaces, as well as smooth legs. Available in Sand Tan, Dove Gray, Light Brown, and Terra Cotta. Dedication plaques and logos also available, please inquire. Shown in Dove Gray

| | |
|--|----------|
| CTR4S Round 66" L x 30" H x 68" W | 1040 Lbs |
| CTR3ADA ADA Accessible | 900 Lbs |
| UMBRKT Umbrella bracket option | |



Square Concrete Table

Perfect for dressing up a patio or courtyard. Made of strong steel reinforced concrete. Top and seats have protective sealer to assure years of service. Two and four seat models available. Ask about umbrella attachment option. Choose a combination of color and texture to best suit your decor. Photo shows Sand Tan tops and seats with Sand Tan Permastone legs.

| | |
|--|-----------|
| CTS4S 4 seat sq 67 1/2" L x 29" H x 67 1/2" W | 1,040 Lbs |
| CTS2S 2 seat sq 30" L x 29" H x 66" W | 640 Lbs |
| UMBKT Umbrella bracket option | |



CTR Rectangle Table

"The good old standby." These tables have a combination of beautiful exposed aggregate legs and smooth colored tops and seats to enhance surroundings with a look of natural beauty. You choose the texture and color to best match your decor. SMOOTH CONCRETE tops and seats with color all the way through come in 60" and 84" lengths. A handicap model is also available with the top extended at one end. Shown with Light Brown top and seats and Light Brown Durabrite Legs.

| | |
|---|-----------|
| CTRJ60C Standard 60" L x 29" H x 62" W | 1,040 Lbs |
| CTRJ84C Standard 84" L x 29" H x 62" W | 1,128 Lbs |
| CTRJ84H Handicap 84" L x 29" H x 62" W | 1,028 Lbs |



Concrete Oval Top Tables

A contemporary look along with a walk through design perfect for almost any setting. Shown with Sand Tan Light Sandblast legs and smooth top and seats. Choose any color for your tables from the selection. Two sizes available. Handicap unit has one end extended to allow for wheelchair.

| | |
|---|-----------|
| CTOV72 72" L x 30" H x 60" W oval table | 1,400 Lbs |
| CTOV84 84" L x 30" H x 60" W oval table | 1,600 Lbs |
| CTOV84H 84" L x 30" H x 60" W oval table | 1,600 Lbs |

Game Board Option

Permanent insert for concrete table tops. Provide the fun!

GBI





CPB Bench

CPB Series concrete park benches are the most popular because they are a style suitable for almost any decor- and reasonably priced! The seats and back are: 2" thick smooth concrete. Benches come in 58", 72" and 84" lengths. Shown with Gray seats and sand tan permastone legs. All available textures and colors shown on page 39. Plaques sold separately see page 44.

- CPB58C** 33" H x 58" L concrete 420 Lbs
- CPB72C** 33" H x 72" L concrete 465 Lbs
- CPB84C** 33" H x 84" L concrete 485 Lbs



'X' Leg Bench

A unique look for a standard park bench. Heavy, reinforced concrete provides years of trouble-free service. Seat and back are 60" long, so it holds three comfortably. Available in smooth only. Shown in Light Brown.

- CPB60X** 34" H x 60" L x 24" W 500 Lbs



CCB72CL

Contoured seat and contoured legs are cast in one piece, 72" long. Available with smooth finish seat and legs, or can be a combination of smooth seat and exposed aggregate legs of your choice. Shown in Light Brown.

- CCB72CL** Concrete 18" H x 72" L 500 Lbs



CTB58C

Practical bench has three seat lengths, 58" as shown, 72" and 84" long units that can be used along sides of tables or as stand alone benches. Easy bolt-together assembly! A good value! Shown in Sand Tan seat with Durabrite Gray Legs.

- CTB58C** 18 1/2" H x 58" L 235 Lbs
- CTB72C** 18 1/2" H x 72" L 210 Lbs
- CTB84C** 18 1/2" H x 84" L 230 Lbs

Handicap Accessible Fountain

A beautiful exposed aggregate finish offers a great natural look for any outdoor setting. This model has plenty of knee clearance for persons in wheelchairs and an easy front push button. Choose optional features to best suit your needs, such as concrete or chrome bowl, side facet, freeze proof valve, or tamper-resistance concrete bubbler guard for your drinking fountain. Comes with drain tile piece and bubbler valve for attaching your plumbing connection. Access panel provides ease of installation and heavy concrete construction offers you peace of mind. Pictured at right is CHFFBS shown in Durabrite finish, with a chrome bowl and optional side faucet.

- CHFFBS** Standard, chrome bowl 400 Lbs
- CHFFBC** Standard, concrete bowl 410 Lbs
- CHFFBCT** Tamper guard, concrete bowl 420 Lbs
- CHFFBSF** Freeze proof, chrome bowl 400 Lbs
- CHFFBSTF** Tamper & freeze proof, chrome bowl 410 Lbs
- CDFOSF** Optional Side facet 10 Lbs



Upright Cylinder

Worry-free near outdoor sports fields, hiking trails, etc. Choose concrete color and texture you prefer. Comes in various model features. Optional concrete child step can be purchased so youngsters can get up to drink from bubbler. Model shown is CDFPBC with a Permastone aggregate finish. Dove gray color, concrete bowl, and push button on the bubbler. Each fountain 220 lbs. Child step 105 pounds.

- CDFPBC** Concrete, push button 220 Lbs
- CDFIBC** Concrete, 1 side button 220 Lbs
- CDFIBCF** Concrete, push button & freeze 220 Lbs
- CDFFB** Chrome, front push button 220 Lbs
- CDFOSF** Optional side faucet 220 Lbs
- CDFOCS** Optional concrete child step 105 Lbs

| | Smooth | Light Sand Blast | Perma Stone | Dura Brite |
|-------------|--------|------------------|-------------|------------|
| Dove Gray | | | | |
| Terra Cotta | | | | |
| Light Brown | | | | |
| Sand Tan | | | | |

Select Color:
Dove Gray, Terra Cotta, Light Brown or Sand Tan

Select Texture:
Smooth, Light Sand Blast, Permastone or Durabrite



Ever Popular Round Planters

An elegant look in a variety of sizes. All models have drain holes. Specify color and texture choice.

- CPR2417** 24" dia. x 17" H 300 Lbs
- CPR2424** 24" dia. x 24" H 350 Lbs
- CPR2433** 24" dia. x 33" H 420 Lbs
- CPR3017** 30" dia. x 17" H 500 Lbs
- CPR3030** 30" dia. x 30" H 800 Lbs
- CPR3624** 36" dia. x 24" H 800 Lbs
- CPR3630** 36" dia. x 30" H 900 Lbs
- CPR4817** 48" dia. x 17" H 900 Lbs
- CPR4824** 48" dia. x 24" H 1,200 Lbs
- CPR6036** 60" dia. x 36" H 2,100 Lbs



Aspen Rectangle/Square Planters

An elegant look in a variety of sizes. All models have drain holes. Specify color and texture choice.

- CPAS2418** 24" H x 24" L x 18" W 450 Lbs
- CPAS2436** 24" H x 36" L x 18" W 530 Lbs
- CPAS2448** 24" H x 48" L x 30" W 1,200 Lbs
- CPAS3648** 36" H x 48" L x 36" W 1,700 Lbs
- CPAS4848** 48" H x 48" L x 36" W 2,500 Lbs
- CPAS3660** 36" H x 60" L x 36" W 2,700 Lbs
- CPAS3672** 36" H x 72" L x 36" W 3,100 Lbs
- CPAS1660** 16" H x 60" L x 18" W 650 Lbs
- CPAS2472** 24" H x 72" L x 18" W 935 Lbs

